

CLAIMS

What is claimed is:

1. An apparatus for producing a sterilized, prefilled container comprising:
a sterilizing station for sterilizing a container;
5 a sterile environment comprising an opening for receiving a sterilized container;
a sterile ambient atmospheric condition adjacent the opening;
a transport mechanism for transferring a sterilized container from the sterilizing
station to the sterile environment wherein the sterilized container is exposed to the sterile
ambient atmospheric condition;
10 a source of a sterile fluid substance; and
a filler for introducing the sterile fluid substance into a sterilized container while
the sterilized container is within the sterile environment.
2. The apparatus of claim 1 wherein the sterilizing station comprises a source
of electron beam irradiation.
- 15 3. The apparatus of claim 2 further comprising a field of electrons produced
by the source of electron beam irradiation wherein the field of electrons sterilizes the
container and provides at least a portion of the sterile ambient atmospheric condition.
4. The apparatus of claim 2 wherein the source of electron beam irradiation
delivers a dose of 10 kGy to 50 kGy.
- 20 5. The apparatus of claim 2 wherein the source of electron beam irradiation
delivers a dose of 20 kGy to 40 kGy.
6. The apparatus of claim 2 wherein the source of electron beam irradiation
delivers a dose of 15 kGy to 25 kGy.
7. The apparatus of claim 2 wherein the source of electron beam irradiation
25 delivers a dose of 25kGy.
8. The apparatus of claim 4 wherein the dose of electron beam irradiation is
delivered at 1 to 10 MeV.
9. The apparatus of claim 4 wherein the dose of electron beam irradiation is
delivered at less than 1 MeV.
- 30 10. An apparatus for continuous in-line production of a plurality of sterilized,
prefilled containers comprising:

a sterilization station comprising a means for continuously sterilizing a plurality of containers;

a sterile isolator comprising an opening for continuously receiving a plurality of containers;

5 a sterile ambient atmospheric condition adjacent the opening;

a transport mechanism for continuously transferring a plurality of sterilized containers from the sterilizing station to the sterile isolator wherein the plurality of sterilized containers are exposed to the sterile ambient atmospheric condition;

a source of a sterile fluid substance; and

10 a filler for introducing the sterile fluid substance into a plurality of sterilized containers while the plurality of sterilized containers are within the sterile isolator.

11. The apparatus of claim 10 wherein the means for continuously sterilizing a plurality of containers comprises a source of electron beam irradiation.

12. The apparatus of claim 11 further comprising a field of electrons produced
15 by the source of electron beam irradiation wherein the field of electrons sterilizes the plurality of containers and provides at least a portion of the sterile ambient atmospheric condition.

13. The apparatus of claim 11 wherein the source of electron beam irradiation delivers a dose of 10 kGy to 50 kGy.

20 14. The apparatus of claim 11 wherein the source of electron beam irradiation delivers a dose of 20 kGy to 40 kGy.

15. The apparatus of claim 11 wherein the source of electron beam irradiation delivers a dose of 15 kGy to 25 kGy.

16. The apparatus of claim 11 wherein the source of electron beam irradiation
25 delivers a dose of 25kGy.

17. The apparatus of claim 13 wherein the dose of electron beam irradiation is delivered at 1 to 10 MeV.

18. The apparatus of claim 13 wherein the dose of electron beam irradiation is delivered at less than 1 MeV.

30 19. An apparatus for producing sterilized, prefilled syringe bodies comprising:
a sterilizing station for sterilizing a syringe body;
a sterile isolator comprising an opening for receiving a sterilized syringe body;

a sterile ambient atmospheric condition adjacent the opening;

a transport mechanism for transferring a sterilized syringe body from the sterilizing station to the sterile isolator wherein the sterilized syringe body is exposed to the sterile ambient atmospheric condition;

5 a source of a sterile fluid substance; and

a filler for introducing the sterile fluid substance into a sterilized syringe body while the sterilized syringe body is within the sterile isolator.

20. An apparatus for continuous in-line production of a plurality of sterilized, prefilled syringe bodies comprising:

10 a sterilization station comprising a means for continuously sterilizing a plurality of syringe bodies;

a sterile isolator comprising an opening for continuously receiving a plurality of syringe bodies;

a sterile ambient atmospheric condition adjacent the opening;

15 a transport mechanism for continuously transferring a plurality of sterilized syringe bodies from the sterilizing station to the sterile isolator wherein the plurality of sterilized syringe bodies are exposed to the sterile ambient atmospheric condition;

a source of a sterile fluid substance; and

20 a filler for introducing the sterile fluid substance into a plurality of sterilized syringe bodies while the plurality of sterilized syringe bodies are within the sterile isolator.

21. The apparatus of claim 20 further comprising a transfer holder adapted for receiving a plurality of syringe bodies wherein the transfer holder is sterilized at the same time the plurality of syringe bodies are sterilized by the sterilization station.

22. The apparatus of claim 20 wherein the means for continuously sterilizing a plurality of containers comprises a source of electron beam irradiation.

23. The apparatus of claim 22 further comprising a field of electrons produced by the source of electron beam irradiation wherein the field of electrons sterilizes the plurality of containers and provides at least a portion of the sterile ambient atmospheric condition.

24. The apparatus of claim 22 wherein the source of electron beam irradiation delivers a dose of 10 kGy to 50 kGy.

25. The apparatus of claim 22 wherein the source of electron beam irradiation delivers a dose of 20 kGy to 40 kGy.

26. The apparatus of claim 22 wherein the source of electron beam irradiation delivers a dose of 15 kGy to 25 kGy.

5 27. The apparatus of claim 22 wherein the source of electron beam irradiation delivers a dose of 25kGy.

28. The apparatus of claim 24 wherein the dose of electron beam irradiation is delivered at 1 to 10 MeV.

29. The apparatus of claim 24 wherein the dose of electron beam irradiation
10 is delivered at less than 1 MeV.

30. An apparatus for directly receiving a molded, polymeric container from a container forming process and producing a sterilized, prefilled container comprising:
a sterilization station comprising a means for sterilizing a container;

a means for transporting a container from a container forming process to the
15 sterilization station;

a sterile isolator comprising an opening for receiving a sterilized container;

a sterile ambient atmospheric condition adjacent the opening;

a transport mechanism for transferring a sterilized container from the sterilizing
station to the sterile isolator wherein the sterilized container is exposed to the sterile
20 ambient atmospheric condition;

a source of a sterile fluid substance; and

a filler for introducing the sterile fluid substance into a sterilized container while
the sterilized container is within the sterile isolator.

31. The apparatus of claim 30 wherein the sterilizing station comprises a
25 source of electron beam irradiation.

32. The apparatus of claim 31 further comprising a field of electrons produced by the source of electron beam irradiation wherein the field of electrons sterilizes the container and provides at least a portion of the sterile ambient atmospheric condition.

33. The apparatus of claim 31 wherein the source of electron beam irradiation
30 delivers a dose of 10 kGy to 50 kGy.

34. The apparatus of claim 31 wherein the source of electron beam irradiation delivers a dose of 20 kGy to 40 kGy.

35. The apparatus of claim 31 wherein the source of electron beam irradiation delivers a dose of 15 kGy to 25 kGy.

36. The apparatus of claim 31 wherein the source of electron beam irradiation delivers a dose of 25kGy.

5 37. The apparatus of claim 33 wherein the dose of electron beam irradiation is delivered at 1 to 10 MeV.

38. The apparatus of claim 33 wherein the dose of electron beam irradiation is delivered at less than 1 MeV.

39. A method of in-line, continuous production of sterile prefilled containers,
10 the method comprising the steps of:

providing a container;

sterilizing the container;

providing a sterile environment;

15 providing a sterile ambient atmospheric condition adjacent the sterile environment;

transferring the sterilized container to the sterile environment while exposing the sterilized container to the sterile ambient atmospheric condition;

providing a source of a medical solution; and

20 introducing the medical solution into the sterilized container while the sterilized container is within the sterile environment.

40. The method of claim 39 wherein the step of sterilizing the container includes providing a source of electron beam irradiation.

41. The method of claim 40 wherein the step of sterilizing the container includes irradiating the container with a predetermined dose of the electron beam wherein
25 the container is sterilized by the dose of electron beam irradiation and at least a portion of the sterile ambient atmospheric condition includes the predetermined dose of electron beam irradiation.

42. The method of claim 41 wherein the predetermined dose of the electron beam is between 10 kGy and 50 kGy.

30 43. The method of claim 41 wherein the predetermined dose of the electron beam is 25 kGy.

44. The method of claim 39 further comprising the step of:

sealing the container after the medical solution has been introduced thereto.

45. The method of claim 44 further comprising the step of:

transferring the container from the sterile environment.

46. A sterilized, prefilled container produced according to the method of claim

5 39.

47. A method of in-line, continuous production of sterile prefilled containers, the method comprising the steps of:

providing a container having no secondary packaging;

sterilizing the container; and

10 transferring the container to a sterile environment while exposing the container to ambient conditions;

providing a source of a medical solution; and

introducing the medical solution into the sterilized container while the sterilized container is within the sterile environment.

15 48. The method of claim 47 wherein the step of sterilizing the container includes providing a source of electron beam irradiation.

49. The method of claim 48 wherein the step of sterilizing the container includes irradiating the container with a predetermined dose of the electron beam irradiation wherein the container is sterilized by the dose of electron beam irradiation.

20 50. The method of claim 49 wherein the predetermined dose of the electron beam irradiation is between 10 kGy and 50 kGy.

51. The method of claim 49 wherein the predetermined dose of the electron beam irradiation is 25 kGy.

52. The method of claim 47 further comprising the step of:

25 sealing the container after the medical solution has been introduced thereto.

53. The method of claim 50 further comprising the step of:

transferring the container from the sterile environment.

54. A sterilized, prefilled container produced according to the method of claim

47.

30 55. A method of producing a sterile prefilled container for medical purposes, the method comprising the steps of:

providing a container;

sterilizing the container;
providing a sterile environment;
transferring the sterilized container to the sterile environment while exposing the
container to ambient conditions;
5 providing a fluid substance;
introducing the fluid substance into the container while the container is within the
sterile environment; and
sealing the fluid substance within the container while the container is within the
sterile environment.

10 56. The method of claim 55 wherein no human contact with the container is
required.

57. The method of claim 55 wherein the sterilizing of the container step
includes providing a source of electron beam irradiation and irradiating the container with
a predetermined dose of the electron beam irradiation.

15 58. The method of claim 57 wherein the predetermined dose of the electron
beam irradiation is between 10 kGy and 50 kGy.

59. The method of claim 57 wherein the predetermined dose of the electron
beam irradiation is 25 kGy.

20 60. The method of claim 55 wherein the introducing the fluid substance into
the container while the container is within the sterile environment step is performed
within six days of the sterilizing the container step.

61. The method of claim 60 wherein the fluid substance is a sterile water for
injection.

25 62. The method of claim 61 wherein the sterile water for injection has a pH
of solution between 5.0 and 7.0.

63. The method of claim of claim 62 further comprising the steps of:
transferring the container from the sterile environment;
storing the container for a predetermined period of time; and
maintaining a pH of solution of the sterile water for injection within a range of
30 5.0-7.0.

64. The method of claim 60 wherein the introducing the fluid substance into the container while the container is within the sterile environment step is performed within fifteen minutes after the sterilizing the container step.

65. The method of claim 55 wherein the providing the container step includes
5 forming the container from a polymeric resin.

66. The method of claim 65 wherein the providing container step includes weighing and inspecting the container subsequent to forming the container.

67. The method of claim 66 wherein the forming the container from a polymeric resin includes injection molding the container.

10 68. The method of claim 65 wherein the polymeric resin is a cyclic olefin copolymer.

69. The method of claim 55 wherein the container is a syringe body.

70. The method of claim 69 further comprising the steps of providing a tip cap for the syringe body and fixing the tip cap to an open tip end of the syringe body.

15 71. The method of claim 70 further comprising the steps of transferring a sterilized plunger into the sterile environment and inserting the plunger into an open end of the sterile syringe body subsequent to the introducing the fluid substance into the syringe body while the syringe body is within the sterile environment step wherein the the fluid substance is sealed within the syringe body.

20 72. The method of claim 71 further comprising the step of fixing a plunger rod to the plunger.

73. The method of claim 55 further comprising the steps of transferring the sterilized container from the sterile environment and resterilizing the container subsequent to filling.

25 74. The method of claim 73 further comprising the steps of labeling the container and packaging the container for delivery to an end user.

75. A prefilled, sterilized container produced according to the method of claim 55.

76. A method of in-line, continuous production of sterile prefilled syringe
30 bodies for medical purposes, the method comprising the steps of:
forming a plurality of syringe bodies by injection molding;

arranging the plurality of syringe bodies in a predetermined order on a transfer mechanism;

transferring the plurality of syringe bodies along the transfer mechanism to a sterilizing location;

5 sterilizing the plurality of syringe bodies;

transferring the plurality of sterilized syringe bodies to a sterile environment while maintaining the plurality of syringe bodies in a sterilized condition;

providing a fluid substance within the sterile environment;

10 introducing the fluid substance into the plurality of syringe bodies while the plurality of syringe bodies are within the sterile environment; and

sealing the fluid substance within the plurality of syringe bodies while the plurality of syringe bodies are within the sterile environment.

77. The method of claim 76 wherein the transfer mechanism includes a conveyor belt.

15 78. The method of claim 77 wherein no human intervention is required.

79. The method of claim 78 wherein the sterilizing of the plurality of syringe bodies step includes providing a source of electron beam irradiation and irradiating the plurality syringe bodies with a predetermined dose of the electron beam irradiation.

20 80. The method of claim 79 wherein the predetermined dose of the electron beam irradiation is between 10 kGy and 50 kGy.

81. The method of claim 80 wherein the predetermined dose of the electron beam irradiation is 25 kGy.

25 82. The method of claim 80 wherein the introducing the fluid substance into the plurality of syringe bodies while the plurality of syringe bodies are within the sterile environment step is performed within six days of the sterilizing the plurality of the syringe bodies step.

83. The method of claim 82 wherein the fluid substance is a sterile water for injection.

30 84. The method of claim 83 wherein the sterile water for injection has a pH of solution between 5.0 and 7.0.

85. The method of claim of claim 84 further comprising the steps of:
transferring the plurality of syringe bodies from the sterile environment;

storing the plurality of syringe bodies for a predetermined period of time; and maintaining a pH of solution of the sterile water for injection within a range of 5.0-7.0.

86. The method of claim 80 wherein the introducing the fluid substance into the plurality of syringe bodies while the plurality of syringe bodies are within the sterile environment step is performed immediately after the sterilizing the plurality of syringe bodies step.

87. The method of claim 80 wherein the plurality of syringe bodies are formed from a polymeric resin.

88. The method of claim 87 wherein the polymeric resin is a cyclic olefin copolymer.

89. The method of claim 88 further comprising the step of weighing and inspecting the plurality of syringe bodies subsequent to forming the syringe body.

90. The method of claim 80 further comprising the steps of providing a tip cap for each of the plurality of the syringe bodies and fixing the tip cap to an open tip end of each of the plurality of syringe body.

91. The method of claim 90 further comprising the steps of transferring a plurality of sterilized plungers into the sterile environment and inserting at least one of the plurality of plungers into an open end of each of the plurality of sterile syringe bodies subsequent to the introducing the fluid substance into the plurality of syringe bodies while the plurality of syringe bodies are within the sterile environment step wherein the fluid substance is sealed within the plurality of syringe bodies.

92. The method of claim 91 further comprising the step of fixing a plunger rod to each plunger.

93. The method of claim 80 further comprising the steps of transferring the sterilized plurality of syringe bodies from the sterile environment and resterilizing the plurality of syringe bodies subsequent to filling.

94. The method of claim 93 further comprising the steps of labeling the plurality of syringe bodies and packaging the plurality of syringe bodies for delivery to an end user.

95. A method of continuously producing a plurality of sterile prefilled syringe bodies for medical purposes, the method comprising the steps of:

providing a plurality of syringe bodies;
 arranging the plurality of syringe bodies within a transfer tray;
 sterilizing the plurality of syringe bodies and the transfer tray substantially simultaneously;

5 transferring the plurality of sterilized syringe bodies and the sterilized transfer tray to a sterile environment while exposing the plurality of syringe bodies and the transfer tray to a sterile ambient atmospheric condition;

providing a fluid substance; and

10 introducing the fluid substance into each syringe body individually while the plurality of syringe bodies are within the sterile environment.

96. A method of continuously producing a plurality of sterile prefilled syringe bodies for medical purposes, the method comprising the steps, in sequence of:

providing a syringe body;

sterilizing the syringe body;

15 transferring the sterilized syringe body to a sterile environment while exposing the syringe body to a sterile ambient atmospheric condition;

providing a fluid substance; and

introducing the fluid substance into the syringe body while the syringe body is within the sterile environment.

20 97. A method of providing a prefilled polymeric container and controlling a solution pH of a sterile, parenteral solution within the polymeric container, the method comprising the steps of:

providing a container produced from a polymeric material where an ionizing radiation causes the formation of free radicals on the container;

25 providing a source of ionizing radiation;

sterilizing the polymeric container with a predetermined dose of the ionizing radiation;

providing a source of a parenteral solution;

introducing the parenteral solution into the container within 48 hours of sterilizing

30 the polymeric container with a predetermined dose of the ionizing radiation; and

sealing the parenteral solution within the polymeric container.

98. The method of claim 97 wherein the ionizing radiation is an electron beam, irradiation.

99. The method of claim 98 wherein the predetermined dose of electron beam irradiation is between 10 kGy and 50 kGy.

5 100. The method of claim 99 wherein the predetermined dose of the electron beam irradiation is 25 kGy.

101. The method of claim 97 wherein the introducing the parenteral solution into the polymeric container is performed within 24 hours of the sterilizing the container step.

10 102. The method of claim 97 wherein the introducing the parenteral solution into the polymeric container is performed within 15 minutes of the sterilizing the container step.

103. The method of claim 102 wherein the parenteral solution has a pH of solution between 5.0 and 7.0.

15 104. A prefilled, sterile container produced according to the method of claim 97.

100
101
102
103
104
105
106
107
108
109
110
111
112
113
114
115
116
117
118
119
120
121
122
123
124
125
126
127
128
129
130
131
132
133
134
135
136
137
138
139
140
141
142
143
144
145
146
147
148
149
150
151
152
153
154
155
156
157
158
159
160
161
162
163
164
165
166
167
168
169
170
171
172
173
174
175
176
177
178
179
180
181
182
183
184
185
186
187
188
189
190
191
192
193
194
195
196
197
198
199
200
201
202
203
204
205
206
207
208
209
210
211
212
213
214
215
216
217
218
219
220
221
222
223
224
225
226
227
228
229
230
231
232
233
234
235
236
237
238
239
240
241
242
243
244
245
246
247
248
249
250
251
252
253
254
255
256
257
258
259
260
261
262
263
264
265
266
267
268
269
270
271
272
273
274
275
276
277
278
279
280
281
282
283
284
285
286
287
288
289
290
291
292
293
294
295
296
297
298
299
300
301
302
303
304
305
306
307
308
309
310
311
312
313
314
315
316
317
318
319
320
321
322
323
324
325
326
327
328
329
330
331
332
333
334
335
336
337
338
339
340
341
342
343
344
345
346
347
348
349
350
351
352
353
354
355
356
357
358
359
360
361
362
363
364
365
366
367
368
369
370
371
372
373
374
375
376
377
378
379
380
381
382
383
384
385
386
387
388
389
390
391
392
393
394
395
396
397
398
399
400
401
402
403
404
405
406
407
408
409
410
411
412
413
414
415
416
417
418
419
420
421
422
423
424
425
426
427
428
429
430
431
432
433
434
435
436
437
438
439
440
441
442
443
444
445
446
447
448
449
450
451
452
453
454
455
456
457
458
459
460
461
462
463
464
465
466
467
468
469
470
471
472
473
474
475
476
477
478
479
480
481
482
483
484
485
486
487
488
489
490
491
492
493
494
495
496
497
498
499
500
501
502
503
504
505
506
507
508
509
510
511
512
513
514
515
516
517
518
519
520
521
522
523
524
525
526
527
528
529
530
531
532
533
534
535
536
537
538
539
540
541
542
543
544
545
546
547
548
549
550
551
552
553
554
555
556
557
558
559
560
561
562
563
564
565
566
567
568
569
570
571
572
573
574
575
576
577
578
579
580
581
582
583
584
585
586
587
588
589
590
591
592
593
594
595
596
597
598
599
600
601
602
603
604
605
606
607
608
609
610
611
612
613
614
615
616
617
618
619
620
621
622
623
624
625
626
627
628
629
630
631
632
633
634
635
636
637
638
639
640
641
642
643
644
645
646
647
648
649
650
651
652
653
654
655
656
657
658
659
660
661
662
663
664
665
666
667
668
669
670
671
672
673
674
675
676
677
678
679
680
681
682
683
684
685
686
687
688
689
690
691
692
693
694
695
696
697
698
699
700
701
702
703
704
705
706
707
708
709
710
711
712
713
714
715
716
717
718
719
720
721
722
723
724
725
726
727
728
729
730
731
732
733
734
735
736
737
738
739
740
741
742
743
744
745
746
747
748
749
750
751
752
753
754
755
756
757
758
759
760
761
762
763
764
765
766
767
768
769
770
771
772
773
774
775
776
777
778
779
780
781
782
783
784
785
786
787
788
789
790
791
792
793
794
795
796
797
798
799
800
801
802
803
804
805
806
807
808
809
810
811
812
813
814
815
816
817
818
819
820
821
822
823
824
825
826
827
828
829
830
831
832
833
834
835
836
837
838
839
840
841
842
843
844
845
846
847
848
849
850
851
852
853
854
855
856
857
858
859
860
861
862
863
864
865
866
867
868
869
870
871
872
873
874
875
876
877
878
879
880
881
882
883
884
885
886
887
888
889
890
891
892
893
894
895
896
897
898
899
900
901
902
903
904
905
906
907
908
909
910
911
912
913
914
915
916
917
918
919
920
921
922
923
924
925
926
927
928
929
930
931
932
933
934
935
936
937
938
939
940
941
942
943
944
945
946
947
948
949
950
951
952
953
954
955
956
957
958
959
960
961
962
963
964
965
966
967
968
969
970
971
972
973
974
975
976
977
978
979
980
981
982
983
984
985
986
987
988
989
990
991
992
993
994
995
996
997
998
999
1000